GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Services- Water Resources Department – Vigilance Report –Allegation of irregularities in the NEERU-CHETTU works - Work No.1 to 12 (annexure-555), work No.1 to 8 (annexure-556), work No.1 to 68 (annexure-557), work No.1 to 44 (annexure-558), work No.1 to 49 (annexure-559) and work No.1 to 52 (annexure-560) taken up by Water Resources Department in Kurnool District – Disciplinary proceedings against certain officers of Water Resources Department under Rule 20 of APCS (CC&A) Rules, 1991 - Appointment of Sri Kabir Basha Shaik, Chief Engineer(Projects), Irrigation, Kurnool (Additional Charge) as Inquiring Authority-Orders –Issued.

WATER RESOURCES (Vig.II(V&E)) DEPARTMENT

G.O.Rt.No.235 Dated:19.06.2024

Read the following:-

1. G.O.Rt.Nos.869-903, Water Resources (VIG.II) Department, dt.05.05.2022.
2. G.O.Rt.No.379, Water Resources (VIG.II) Department, dt.24.08.2023.

>><<

O R D E R

Whereas, an enquiry under Rule 20 of the Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules, 1991 is being held against the following (08) officers:

Sl.No.	Name of the Officer	Designation
1	Sri. B.Murali Krishna	AE
2	Sri.B.Chinnapa Reddy,	DEE
3	Sri. N.Pulla Rao(Retd.) , EE	EE
4	Sri. P. Sreeramachandramurthy ,	SE
5	Sri.M.Chandrudu	AE
6	Sri. B.Bala Chandra Reddy	EE
7	Sri.M.RameshBabu	AEE
8	Sri.P.Swamy Ranga Reddy	AEE

2. And whereas, it is considered that an Inquiring Authority should be appointed to inquire into the charges framed against the above said (08) officers.

3. Now, therefore, in exercise of the powers conferred by Sub-rule (2) of Rule 20 of the said rules, the disciplinary Authority hereby appoints Sri Kabir Basha Shaik, Chief Engineer (Projects), Irrigation, Kurnool (Additional Charge), as the Inquiring Authority to inquire into the charges framed against the above said (08) officers.

4. Copies of reports, charge memoranda and Written Statements of Defence submitted by the charged Officers are forwarded herewith to the Inquiring Authority. The Presenting Officer will produce other original documents relating to the case before the Inquiry Officer. The Inquiring

(P.T.O)

Authority shall conduct inquiry strictly in terms of Rule 20 of APCS(CC&A) Rule,1991 and submit his report as required under sub-rule 18(ii) of the above said rule.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

SHASHI BHUSHAN KUMAR
PRINCIPAL SECRETARY TO GOVERNMENT

To

Sri. B.Murali Krishna, the then AE, KC Canal Section, Allagada, Nandyal.	**through** the Engineer-in-Chief (AW), Water Resources Department, Vijayawada
Sri.B.Chinnapa Reddy, the then DEE, GNSS Sub Division No.2, Jammalamadugu of GNSS Division No.4 **(Retired)**	
Sri. N.Pulla Rao, the then EE, KCC Division, Nandyal **(Retired)**	
Sri. P.Sreeramachandramurthy, the then SE, IC, Kurnool.	
Sri.M.Chandrudu, the then AE, KCC Sub Division, Nandyal.	
Sri. B.Bala Chandra Reddy, the then EE, KCC Division, Nandyal.	
Sri M.RameshBabu, AE, KCC Section, Koilakuntla of KCC Sub Division, Nandyal.	
Sri P.Swamy Ranga Reddy, AEE, KCC Sub Division, Nandyal	

Sri Kabir Basha Shaik, Chief Engineer(Projects), Irrigation, Kurnool (Additional Charge) as Inquiring Authority (Through ENC(AW), WRD, AP) (w.e)

Sri Ram Gopal Dulam, Superintend Engineer, Handrineeva Sujala Sravanthi Circle-1, Kurnool, and Presenting officer in this case (Through ENC(AW), WRD, AP)

Copy to:

The Engineer-in-Chief(AW), Water Resources Department, Vijayawada with a request to submit the dated acknowledgements of the charged officer to Government without any delay.

The Secretary, AP Vigilance Commission, 5th Building, A.P. Secretariat, Velagapudi, Amaravati.

S.F/S.C.

//FORWARDED::BY ORDER//

SECTION OFFICER